Level of Care Worksheet

		Level of Care work		
lient Nam	ne:	DCN	RedCap	
ehavioral:	Determine if the applicant or recipien	t:		
0	Receives monitoring for mental co	Receives monitoring for mental condition		
0	_	public sexual behavior, or public	ering, physical abuse, socially inappropriate or c disrobing; resists care OR Exhibits one of the allucinations.	
(0 Points)	s) Stable mental condition AND no mood o	or behavior symptoms observed AND	D no reported psychiatric conditions.	
(3 Points)	s) Stable mental condition monitored by a	physician or licensed mental health	professional at least monthly; OR	
	Behavior symptoms exhibited in past, bu	t not currently present; OR		
	Psychiatric conditions exhibited in past, b	out not recently present.		
(6 Points)	3) Unstable mental condition monitored by	a physician or licensed mental healt	th professional at least monthly; OR	
	Behavior symptoms are currently exhibite	ed; OR		
	Psychiatric conditions are recently exhibit	ted.		
(9 Points)	 Unstable mental condition monitored by are currently exhibited; OR 	a physician or licensed mental healt	th professional at least monthly AND behavior symptoms	
	Psychiatric conditions are currently exhib	ited.		
O	riginal Behavioral Points	Bock Behavioral Poir	nts	
Commen	nts:			
ognition:	Determine if the applicant or recipien	t has an issue in one or more of t	the following areas:	
(Cognitive skills for daily decision m 	naking		
(Memory or recall ability (short-terr 	m, procedural, situational memor	ry)	
(Disorganized thinking/awareness 	- mental function varies over the	course of the day	
(Ability to understand others or to l 	be understood.		
(0 Points)) No issues with cognition AND no issues v	vith memory, mental function, or abi	ility to be understood/understand others.	
(3 Points)) Displays difficulty making decisions in ne memory, mental function, or ability to be		s supervision in decision making AND has issues with	
(6 Points)) Displays consistent unsafe/poor decision daily routines AND has issues with memory		r supervision at all times to plan, organize and conduct understood/understand others.	
(9 Points)) Rarely or never has the capability to make	e decisions; OR		
	Displays consistent unsafe/poor decision plan, organize, and conduct daily routines		requiring reminders, cues, or supervision at all times to ole to understand others.	
(18 Points	TRIGGER: No discernible consciousness	s, coma.		

Client Nam	le:
	etermine the applicant or recipient's primary mode of locomotion AND Determine the amount of assistance the applicant o
0	Locomotion - how moves walking or wheeling, if wheeling how much assistance is needed once in the chair.
0	Bed Mobility - transition from lying to sitting, turning, etc.
(0 Points)	No assistance needed; OR
	Only set up or supervision needed.
(3 Points	Limited or moderate assistance needed (i.e. applicant or recipient performs more than 50% of tasks independently).
(6 Points	Maximum assistance needed (i.e. applicant/recipient needs two (2) or more individuals or more than 50% weight bearing assistance); OF
	Total dependent for bed mobility.
(18 Points	TRIGGER: Applicant or recipient is bed bound; OR
	Totally dependent on others for locomotion.
0	riginal Mobility Points Bock Mobility Points
Commen	ts:
_	rmine the amount of assistance the applicant or recipient needs with eating and drinking. Includes intake of nourishment by (e.g. tube feeding or total parenteral nutrition (TPN). OR Determine if the participant requires a physician ordered liet.
Diet Ordered	I by Physician:
(0 Points)	No assistance needed; OR
	No physician ordered diet.
(3 Points)	Physician ordered therapeutic diet; OR
	Set up, supervision, or limited assistance needed with eating.
(6 Points)	Moderate assistance needed with eating (i.e. applicant or recipient performs more than 50% of the task independently).
(9 Points)	Maximum assistance needed with eating (i.e. applicant or recipient requires an individual to perform more than 50% for assistance).
(18 Points	TRIGGER: Totally dependent on others.

Bock Eating Points

Original Eating Points

Comments:

Client Name:	
-	oplicant or recipient needs with toileting. Toileting includes: the actual use of the ing on/off the toilet, cleansing self, adjusting clothes, managing catheters/ostomies
(O Points) No assistance needed; OR	
Only set up or supervision needed.	
(3 Points) Limited or moderate assistance needed (i.e. a	applicant or recipient performs more than 50% of tasks independently).
(6 Points) Maximum assistance needed (i.e. applicant o	r recipient needs two (2) or more individuals, or more than 50% of weight bearing assistance)
(9 Points) Total dependence on others.	
Original Toileting Points	Bock Toileting Points
Comments:	
Bathing: Determine the amount of assistance the appshower and the transferring in and out of the bath/she	plicant or recipient needs with bathing. Bathing includes: taking a full body bath/ower.
(0 Points) No assistance needed; OR	
Only set up or supervision needed.	
(3 Points) Limited or moderate assistance needed (i.e. a	pplicant or recipient performs more than 50% of tasks independently).
(6 Points) Maximum assistance needed (i.e. applicant/re	ecipient requires two (2) or more individuals, more than 50% weight bearing assistance); OR
Total dependence on others.	
Original Bathing Points	Bock Bathing Points
Comments:	
Dressing and Grooming: Determine the amount of a grooming tasks.	assistance needed by the applicant or recipient to dress, undress, and complete daily
(0 Points) No assistance needed; OR	
Only set up or supervision needed.	
(3 Points) Limited or moderate assistance needed (i.e.	applicant or recipient performs more than 50% of tasks independently).
(6 Points) Maximum assistance needed (i.e. applicant/	recipient requires two (2) or more individuals, more than 50% weight bearing assistance); Ol
Total dependence on others.	
Original Dressing and Grooming Points	Bock Dressing and Grooming Points

Comments:

lient Name:
ehabilitative Services: Determine if the applicant or recipient has the following medically <u>ordered</u> rehabilitative services: Physical nerapy/ Occupational therapy/ Speech therapy/ Cardiac rehabilitation/ Audiology. For each services indicate frequency (days per week)
dd all frequencies together to obtain total point count.
Physical Therapy Cardiac Rehabilitation
Occupational TherapyAudiology
Speech Therapy
(0 Points) None of the above therapies ordered.
(3 Points) Any of the above therapies ordered 1 time per week.
(6 Points) Any of the above therapies ordered 2-3 times per week.
(9 Points) Any of the above therapies ordered 4 times per week.
Original Rehabilitative Services Points Bock Rehabilitative Services Points Bock Rehabilitative Services Points
Comments:
(0 Points) None of the above treatments were ordered by the physician. (6 Points) One or more of the above treatments were ordered by the physician requiring daily attention by a licensed professional. Original Treatment Points Bock Treatment Points
Comments:
leal Preparation: Determine the amount of assistance the applicant or recipient needs to prepare a meal. This includes planning, seembling ingredients, cooking, and setting out the food and utensils
(0 Points) No assistance needed; OR
Only set-up or supervision needed.
(3 Points) Limited or moderate assistance needed (i.e. applicant or recipient performs more than 50% of tasks).
(6 Points) Maximum assistance (i.e. an individual performs more than 50% of tasks for the applicant or recipient); OR
Total dependence on others.
Original Meal Preparation Points Bock Meal Preparation Points
Comments:

Client Name:					
Medication Management: Determine the amount of assistance Assistance may be needed due to a physical or mental disability	e the applicant or recipient needs to safely manage their medications.				
(0 Points) No assistance needed.					
(3 Points) Set up help needed; OR					
Supervision needed; OR					
Limited or moderate assistance needed (i.e. applicant	or recipient performs more than 50% of tasks).				
(6 Points) Maximum assistance needed (i.e. an individual perform	(6 Points) Maximum assistance needed (i.e. an individual performs more than 50% of tasks for the applicant or recipient); OR				
Total dependence on others.					
Original Medication Management Points	Bock Medication Management Points				
Comments:					
Safety: Determine if the individual exhibits any of the following is moving to standing position, turning to face the opposite dire	g risk factors: Vision impairment; falling; or problems with balance. Balance ection, dizziness, or unsteady gait.				
After determination of preliminary score, history of institutionalistic linestitutionalization in the last 5 years - long term care facility, me settings for persons with intellectual disabilities. Age - 75 years	ental health residence, psychiatric hospital, inpatient substance abuse, or				
(0 Points) No difficulty or some difficulty with vision AND no falls in	n last 90 days AND no recent problems with balance.				
(3 Points) Severe difficulty with vision (sees only lights and shapes	s); OR Has fallen in the last 90 days; OR				
Has current problems with balance; OR	Preliminary score of 0 AND (Age OR Institutionalization).				
(6 Points) No vision; OR					
Has fallen in last 90 days AND has current problems with	h balance; OR Preliminary score of 0 AND Age AND institutionalization; OR				
Preliminary score of 3 AND (Age OR Institutionalization)	J.				
(9 Points) Preliminary score of 6 AND Institutionalization.					
(18 Points) TRIGGER: Preliminary score of 6 AND Age; OR	Preliminary score of 3 AND Age AND Institutionalization.				
Original Safety Points	Bock Safety Points				
Comments:					
Original Total Points	Bock Total Points				
Please provide comments on any point changes, especially if the	e client score is 17 or less. Mandated 18 point count for SNF placement				
Completed By:	Date:				